

- Koeling
- Koelkasten
- Vriezers
- Wijnkoelers
- Toebehoren





#### **REFRIGERATION SOLUTIONS SINCE 1971**

A.C. AND D.C. REFRIGERATION SYSTEMS STAINLESS STEEL FRIDGES AND FREEZERS WINE CELLARS ICE MAKERS

#### SUPERYACHT DIVISION

CUSTOM STAINLESS STEEL FRIDGES, FREEZERS, WINE CELLARS AND COLD ROOMS



AZORES Mid Atlantic Yacht Services | BENELUX Barco | CANARY ISLAND Euro Comercio Canarias | CROATIA Unimar CYPRUS Ocean Marine | EGYPT Peak Marine | ENGLAND Penguin Refrigeration | FINLAND Nautikulma FRANCE Kok | GERMANY NMH North Marine | GREECE Icesea | HUNGARY BR-GAL Zoldauto ISRAEL Tiltanit-Flotilla | MALTA Cutrico Services | PORTUGAL Sereijo&Curado | SAUDI ARABIA Megamarine SOUTH AFRICA Coastal Marine | SPAIN Acastimar | SWEDEN Italnordic | SWITZERLAND Yachtech TUNISIE Etablissement Mohamed Mrad | TURKEY Denpar | UNITED ARAB EMIRATES Mesco

VECO S.p.a. Phone +39 0362 35321 | e-mail info@veco.net | web www.veco.net

## **Barco Marine Equipment - Only the best for your boat**



**Compact Airconditioning** 



**CWS Airconditioning** 



Generatoren



Koel/Vries units



Custom made Koel/Vries kasten



**Koel/Vries kasten** 



Pompen



Toiletten



**Vuilwater reiniging** 



Watermakers



Uitlaatdelen

# WWW.BARCOMARINE.NL

- 2 MS 42 Koeling
- 3 MS 42 Koelkast
- 4 MS 60 Koeling
- 5 MS 80 Koeling
- 6 MS 80 Koelkast
- 7 MS 80 Vriezer
- 8 MS 90 Vriezer
- 9 MS 110 Vriezer
- 10 MS 115 Koeling
- 11 MS 115 Koelkast
- 12 MS 130 Koeling
- 13 MS 130 Koelkast
- 14 MS 160 Koeling
- 15 MS 160 Koelkast
- 16 MS 180 Koeling
- 17 WC 115 Wijnkoeling
- 18 WC 130 Wijnkoeling
- 19 WC 160 Wijnkoeling
- 20 Compressoren
- 21 Toebehoren / Extra's

Koeling - Verdamper verwerkt in de wand van de kast Koelkast - koelkast met vriesvakje boven in de kast





### Cabinet MS 42 IN fridge (with hidden evaporator)

Cod. G52145

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width            | 380 |
|------------------|-----|
| Depth            | 362 |
| Height           | 510 |
| Insulation mm    | 50  |
| N° shelves       | 1   |
| N° bottle holder | 1   |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.









### Model MS 42 cabinet

Cod. G52150

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers' requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width            | 380 |
|------------------|-----|
| Depth            | 362 |
| Height           | 510 |
| Insulation mm    | 50  |
| N° shelves       | 1   |
| N° bottle holder | 1   |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Evaporator cell with extractable drip collection tray.

Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Bottles and cans holders.









### Cabinet MS 60 freezer (with hidden evaporator)

Cod. G51370

Freezer cabinets for the marine market, built to the highest stan-dards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigera-tion market resulting in the finest products. Stylish and elegant appearance combined with



Attention to detail; state-of-the-art technology used in material processing, 75 mm (3 in.) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

Magnetic gaskets and resistor to prevent the formation of condensate.

Door opening to 180°.

Installation trim of stainless steel (option).

Temperature adjustment by means of an internal thermostat. Stainless steel shelves adjustable for height with anti-roll edges.







### Cabinet MS 80 IN fridge (with hidden evaporator)

Cod. G52155

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 470 |
|--------------------|-----|
| Depth              | 435 |
| Height             | 600 |
| Capacità Litri     | 80  |
| Net Weight kg      |     |
| Shipping weight kg |     |
| Insulation mm      |     |
| Volume M3          |     |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.









### Model MS 80 cabinet

Cod. G52160

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers' requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 470 |
|--------------------|-----|
| Depth              | 435 |
| Height             | 600 |
| Capacità Litri     | 80  |
| Net Weight kg      |     |
| Shipping weight kg |     |
| Insulation mm      |     |
| Volume M3          |     |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Evaporator cell with extractable drip collection tray.

Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Bottles and cans holders.









### Cabinet MS 80 freezer (with hidden evaporator)

Cod. G51155

Freezer cabinets for the marine market, built to the highest stan-dards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigera-tion market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 530  |
|--------------------|------|
| Depth              | 530  |
| Height             | 745  |
| Capacità Litri     | 80   |
| Net Weight kg      | 39   |
| Shipping weight kg | 44   |
| Insulation mm      | 80   |
| N° shelves         | 3    |
| N° bottle holder   | 1    |
| Volume M3          | 0,21 |

Attention to detail; state-of-the-art technology used in material processing, 75 mm (3 in.) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

Magnetic gaskets and resistor to prevent the formation of condensate.


Door opening to 180°.

Installation trim of stainless steel (option).

Temperature adjustment by means of an internal thermostat.

Stainless steel shelves adjustable for height with anti-roll edges.









### Cabinet MS90 freezer (with hidden evaporator)

Cod. G51615

Freezer cabinets for the marine market, built to the highest stan-dards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigera-tion market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 545 |
|--------------------|-----|
| Depth              | 550 |
| Height             | 680 |
| Capacità Litri     | 90  |
| Net Weight kg      | 42  |
| Shipping weight kg | 47  |
| Insulation mm      | 80  |
| N° shelves         | 2   |
| Volume M3          |     |

Attention to detail; state-of-the-art technology used in material processing, 75 mm (3 in.) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

Magnetic gaskets and resistor to prevent the formation of condensate.


Door opening to 180°.

Installation trim of stainless steel (option).

Temperature adjustment by means of an internal thermostat.

Stainless steel shelves adjustable for height with anti-roll edges.









### Cabinet MS 110 freezer (with hidden evaporator)

Cod. G51045

Freezer cabinets for the marine market, built to the highest stan-dards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigera-tion market resulting in the finest products. Stylish and elegant appearance combined with functionality.





| Width              | 545  |
|--------------------|------|
| Depth              | 550  |
| Height             | 840  |
| Capacità Litri     | 110  |
| Net Weight kg      | 43   |
| Shipping weight kg | 48   |
| Insulation mm      | 80   |
| N° shelves         | 3    |
| N° bottle holder   | 1    |
| Volume M3          | 0,25 |

Attention to detail; state-of-the-art technology used in material processing, 75 mm (3 in.) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

Magnetic gaskets and resistor to prevent the formation of condensate.


Door opening to 180°.

Installation trim of stainless steel (option).

Temperature adjustment by means of an internal thermostat.

Stainless steel shelves adjustable for height with anti-roll edges.









### Cabinet MS 115 IN fridge (with hidden evaporator)

Cod. G51365

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.





| Width              | 480  |
|--------------------|------|
| Depth              | 485  |
| Height             | 840  |
| Capacità Litri     | 110  |
| Net Weight kg      | 39   |
| Shipping weight kg | 45   |
| Insulation mm      | 50   |
| Volume M3          | 0,20 |
|                    |      |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.









### Model MS 115 cabinet

Cod. G50760

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers' requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.





| Width              | 480  |
|--------------------|------|
| Depth              | 485  |
| Height             | 840  |
| Capacità Litri     | 110  |
| Net Weight kg      | 39   |
| Shipping weight kg | 45   |
| Insulation mm      | 50   |
| Volume M3          | 0,20 |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Evaporator cell with extractable drip collection tray.

Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Bottles and cans holders.









### Cabinet MS 130 IN fridge (with hidden evaporator)

Cod. G51295

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.





| Width              | 530  |
|--------------------|------|
| Depth              | 530  |
| Height             | 745  |
| Capacità Litri     | 120  |
| Net Weight kg      | 41   |
| Shipping weight kg | 47   |
| Insulation mm      | 50   |
| N° shelves         | 2    |
| N° bottle holder   | 2    |
| Volume M3          | 0,21 |
|                    |      |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.









### Model MS 130 cabinet

Cod. G50840

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers' requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### TECHNICAL CHARACTERISTICS

| Width              | 530  |
|--------------------|------|
| Depth              | 530  |
| Height             | 745  |
| Capacità Litri     | 120  |
| Net Weight kg      | 41   |
| Shipping weight kg | 47   |
| Insulation mm      | 50   |
| N° shelves         | 2    |
| N° bottle holder   | 2    |
| Volume M3          | 0,21 |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Evaporator cell with extractable drip collection tray.

Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Bottles and cans holders.









### Cabinet MS 160 IN fridge (with hidden evaporator)

5/15

Cod. G51050

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.





# TECHNICAL CHARACTERISTICS Width Depth

| vviatri            | 343  |
|--------------------|------|
| Depth              | 550  |
| Height             | 840  |
| Capacità Litri     | 150  |
| Net Weight kg      | 43   |
| Shipping weight kg | 49   |
| Insulation mm      | 50   |
| N° shelves         | 3    |
| N° bottle holder   | 3    |
| Volume M3          | 0,25 |
|                    |      |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.









### Model MS 160 cabinet

#### Cod. G50845

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers' requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.





| Width              | 545  |
|--------------------|------|
| Depth              | 550  |
| Height             | 840  |
| Capacità Litri     | 150  |
| Net Weight kg      | 43   |
| Shipping weight kg | 49   |
| Insulation mm      | 50   |
| N° shelves         | 3    |
| N° bottle holder   | 3    |
| Volume M3          | 0,25 |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Evaporator cell with extractable drip collection tray.

Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Bottles and cans holders.









### Cabinet MS 180 IN fridge (with hidden evaporator)

Cod. G51610

Refrigeration cabinets for the marine market, built to the highest standards, to meet the most demanding customers requirements. Unequalled experience in the marine refrigeration market resulting in the finest products. Stylish and elegant appearance combined with functionality.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 545  |
|--------------------|------|
| Depth              | 550  |
| Height             | 1000 |
| Capacità Litri     | 180  |
| Net Weight kg      | 45   |
| Shipping weight kg | 51   |
| Insulation mm      | 50   |
| Volume M3          |      |

Attention to details; lead technology used in materials processing, 50 mm (1,96 in) polyurethane insulation, locking handles, rounded edges are some of the features that make these products innovative in the market.

Entirely made of polished and satin-finished stainless steel.

50 mm (1,96 in) insulation.

Magnetic gaskets and possibility to fit a resistor to prevent the formation of condensate.

Door opening till 180°.

Stainless steel outer frame (option).

Temperature adjustment by means of an internal thermostat.


Stainless steel shelves adjustable for height with anti-roll edges.

Cell with rounded edges and corners for easier cleaning.

Discharge for the recovery of condensate water.

Bottles and cans holders.







#### Wine coolers



### Wine cooler 115 litres - 4 cu.ft

Cod. **G51270** 


Wine cooler, glass door, inox-steel bottles-stand shelves, characteristic and original door design and glass shape. Made to blend with the most luxurious interior designs.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 480  |
|--------------------|------|
| Depth              | 485  |
| Height             | 840  |
| Capacità Litri     | 110  |
| Net Weight kg      | 43   |
| Shipping weight kg | 49   |
| Insulation mm      | 50   |
| Volume M3          | 0,20 |
| portata bottiglie  | 18   |







#### Wine coolers



### Wine cooler 130 litres - 4.6 cu.ft

Cod. **G51275** 


Wine cooler, glass door, inox-steel bottles-stand shelves, characteristic and original door design and glass shape. Made to blend with the most luxurious interior designs.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 530  |
|--------------------|------|
| Depth              | 530  |
| Height             | 745  |
| Capacità Litri     | 120  |
| Net Weight kg      | 45   |
| Shipping weight kg | 51   |
| Insulation mm      | 80   |
| Volume M3          | 0,21 |
| portata bottiglie  | 20   |
|                    |      |







#### Wine coolers



### Wine cooler 160 litres -5.6 cu.ft

Cod. **G51280** 


Wine cooler, glass door, inox-steel bottles-stand shelves, characteristic and original door design and glass shape. Made to blend with the most luxurious interior designs.



#### **TECHNICAL CHARACTERISTICS**

| Width              | 545  |
|--------------------|------|
| Depth              | 550  |
| Height             | 840  |
| Capacità Litri     | 110  |
| Net Weight kg      | 48   |
| Shipping weight kg | 54   |
| Insulation mm      | 80   |
| Volume M3          | 0,25 |
| portata bottiglie  | 23   |







### Compressoren

Luchtkoeling

 06.600.001
 FM 100
 tot 100 Liter koelen

 06.600.002
 FM 200
 tot 200 liter koelen

 06.608.000
 Capri 35f
 tot 200 liter koelen

06.608.010 - Capri 50f - tot 340 liter koelen of tot 80 liter vriezen
06.602.000 - AH35f - tot 340 liter koelen of tot 80 liter vriezen
06.603.000 - AV35f - tot 340 liter koelen of tot 80 liter vriezen

Waterkoeling

06.604.000 - W35f - tot 340 liter koelen of tot 80 liter vriezen 06.606.010 - W50f - tot 380 liter koelen of tot 120 liter vriezen

08.802.011 - Koelwaterpomp 12 VDC 06.625.001 - Omvormer 24VDC > 12VDC

06.625.002 - Pomp interface tot 3 units op 1 pomp

Keelkoeling

06.605.000 - K35f - tot 340 liter koelen of tot 80 liter vriezen 06.607.010 - K50f - tot 380 liter koelen of tot 120 liter vriezen

06.616.01L - Keel koeler bodemplaat (brons)

06.616.02Z - Keel koeler bodemplaat (brons) met zink anodes

Standaard zijn de compressoren 12/24VDC. Het is ook mogelijk deze te leveren in 230/50 VAC.

**Opties** 

06.620.004 - Digitale thermostaat 12 VDC 06.620.005 - Digitale thermostaat 24 VDC 06.620.007 - Digitale thermostaat 230 VAC



# **Uitbreidingen**

|                      | <del>-</del>   |
|----------------------|--|
| Rekjes               |  |
| G51400A -            | Rekje t.b.v. MS115 modellen koelkasten                             |
| G51400B -            | Rekje t.b.v. MS130 modellen koelkasten                             |
| G51400C -            | Rekje t.b.v. MS160/180 modellen koelkasten                         |
| G51400D -            | Rekje t.b.v. MS80/90 modellen vriezers                             |
| G51400E -            | Rekje t.b.v. MS110 modellen vriezers                               |
| 001.002              | Trenge tibrii Florico Modelle II Wildere                           |
| G51260 -             | rekje (hoog) 3 flessen liggend t.b.v. WC115                        |
| G51265 -             | rekje 3 flessen liggend t.b.v. WC115                               |
| G51250 -             | rekje 4 flessen liggend t.b.v. WC130                               |
| G51290 -             | rekje 4 flessen liggend t.b.v. WC190                               |
|                      | , 33   |
| Lades (ter vervang   | ing van de standaard rekjes)                                       |
| G56400 -             | Lade 125mm voor MS80 vriezer                                       |
| G56405 -             | Lade 200mm voor MS80 vriezer                                       |
| G51620 -             | Lade 125mm voor MS90/110 vriezers                                  |
| G51685 -             | Lade 200mm voor MS90/110 vriezers                                  |
|                      |  |
| G52165 -             | Lade 125mm voor MS130 koelkasten                                   |
| G52200 -             | Lade 200mm voor MS130 koelkasten                                   |
| G52125 -             | Lade 125mm voor MS160/180 koelkasten                               |
| G52130 -             | Lade 200mm voor MS160/180 koelkasten                               |
|                      |  |
| <del>-</del>         | en van 2 of meer kasten  |
| G51725 -             | Stapel frame   |
| G51730 -             | Top frame  |
| 0=1=0=               |  |
| G51795 -             | Paneel t.b.v. top frame met uitsparing voor 1x dig. Thermostaat    |
| G51735 -             | Paneel t.b.v. top frame met uitsparing voor 2x dig. Thermostaat    |
| G51765 -             | Paneel t.b.v. stapel frame   |
| G51790 -             | Paneel t.b.v. stapel frame met uitsparing voor 1x dig. Thermostaat |
| G51720 -             | Paneel t.b.v. stapel frame met uitsparing voor 2x dig. Thermostaat |
|                      | Genoemde panelen zijn alleen geschikt voor MS90/110/160/180        |
| CESSSE               | Davis manael kit vaas MCOO kaalkaat                                |
| G53335 -             | Deur paneel kit voor MS80 koelkast                                 |
| G52495 -             | Deur paneel kit voor MS60 vriezer en MS 115 koelkast               |
| G52490 -             | Deur paneel kit voor MS80 vriezer en MS 130 koelkast               |
| G52510 -             | Deur paneel kit voor MS90 vriezer                                  |
| G52500 -             | Deur paneel kit voor MS110 vriezer en MS160 koelkast               |
| G52505 -             | Deur paneel kit voor MS180 koelkast                                |
| G52660 -             | Inbouw frame MS180 koelkast  |
| G52000 -<br>G50955 - | Inbouw frame MS60 vriezer en MS 115 koelkast                       |
|                      | THOOLIW HATHE MOOD VHEZELEH MO 110 KOEKASU                         |
| G50960 -             | Inbouw frame MS80 vriezer en MS 130 koelkast                       |



Inbouw frame MS110 vriezer en MS 160 koelkast

G50965

## **Barco Marine Equipment BV**

J. v/d Heydenstraat 3 3281 NE Numansdorp Tel: 0186-655010

info@barcomarine.nl www.barcomarine.nl

